

# TITAN LED

## LIGHTING SOLUTIONS

Halogen	Traditional Wattage	Titan LED Replacement	Titan Wattage	Titan LED Item Description
PAR38	120	18F-P38-17-50K-HO	17	PAR38, 17W, 5000K, Clear Lens, 120V, 40°, Dimmable, High Output
PAR38	120	18F-P38-17-41K-HO	17	PAR38, 17W, 4100K, Clear Lens, 120V, 40°, Dimmable, High Output
PAR38	120	18F-P38-17-35K-HO	17	PAR38, 17W, 3500K, Clear Lens, 120V, 40°, Dimmable, High Output
PAR38	120	18F-P38-17-30K-HO	17	PAR38, 17W, 3000K, Clear Lens, 120V, 40°, Dimmable, High Output
PAR38	120	18F-P38-17-27K - HO	17	PAR38, 17W, 2700K, Clear Lens, 120V, 40°, Dimmable, High Output
PAR38	90	18F-P38-17D-50K	17	PAR38, 17W, Day White (5000K), Diffused Lens, 120V, 40°, Dimmable
PAR38	90	18F-P38-17D-41K	17	PAR38, 17W, Day White (4100K), Diffused Lens, 120V, 40°, Dimmable
PAR38	90	18F-P38-17D-35K	17	PAR38, 17W, Day White (3500K), Diffused Lens, 120V, 40°, Dimmable
PAR39	90	18F-P38-17D-30K	17	PAR38, 17W, Day White (3000K), Diffused Lens, 120V, 40°, Dimmable
PAR38	90	18F-P38-17D-27K	17	PAR38, 17W, Day White (2700K), Diffused Lens, 120V, 40°, Dimmable
PAR38 Wet Location	75	18F-P38-14-30K-WL	14	PAR38 Wet Location, 14W, 3000K, 120V, 40°, Dimmable
PAR38 Wet Location	75	18F-P38-14-50K-WL	14	PAR38 Wet Location, 14W, 5000K, 120V, 40°, Dimmable

# TITAN LED

## LIGHTING SOLUTIONS

Halogen	Traditional Wattage	Titan LED Replacement	Titan Wattage	Titan LED Item Description
PAR30	75	18F-P30-14D-24K	14	PAR30,14W, Very Warm White (2400K), Diffused Lens, 120V, 40°, Dimmable
PAR30	75	18F-P30-14D-27K	14	PAR30,14W, Very Warm White (2700K), Diffused Lens, 120V, 40°, Dimmable
PAR30	75	18F-P30-14D-30K	14	PAR30,14W, Very Warm White (3000K), Diffused Lens, 120V, 40°, Dimmable
PAR30	75	18F-P30-14D-35K	14	PAR30,14W, Very Warm White (3500K), Diffused Lens, 120V, 40°, Dimmable
PAR30	75	18F-P30-14D-41K	14	PAR30,14W, Very Warm White (4100K), Diffused Lens, 120V, 40°, Dimmable
PAR30	75	18F-P30-14D-50K	14	PAR30,14W, Very Warm White (5000K), Diffused Lens, 120V, 40°, Dimmable

# TITAN LED

## LIGHTING SOLUTIONS

Halogen	Wattage	Titan LED Replacement	Titan Wattage	Titan LED Item Description
PAR20	60	18F-P20-10D-27K	10	PAR20, 10W, Very Warm White (2700K), Diffused Lens, 120V, 40°, Dimmable
PAR20	60	18F-P20-10D-30K	10	PAR20, 10W, Very Warm White (3000K), Diffused Lens, 120V, 40°, Dimmable
PAR20	60	18F-P20-10D-35K	10	PAR20, 10W, Very Warm White (3500K), Diffused Lens, 120V, 40°, Dimmable
PAR20	60	18F-P20-10D-41K	10	PAR20, 10W, Very Warm White (4100K), Diffused Lens, 120V, 40°, Dimmable
PAR20	60	18F-P20-10D-50K	10	PAR20, 10W, Very Warm White (5000K), Diffused Lens, 120V, 40°, Dimmable

# TITAN LED

## LIGHTING SOLUTIONS

Halogen	Wattage	Titan LED Replacement	Titan Wattage	Titan LED Item Description
R20	50	18-R20-10-27K	10	R20, 10W, Warm White (2700K), Frosted 120V, 120°, Dimmable
BR30	65	18-R30-12-27K	12	R30, 12W, Warm White (2700K), Frosted
BR40	85	18-R40-17-27K	17	R40, 17W, Warm White (2700K), Frosted 120V, 120°, Dimmable

# TITAN LED

## LIGHTING SOLUTIONS

Incandescent	Wattage	Titan LED Replacement	Titan Wattage	Titan LED Item Description
A-LAMP - Omni-Directional	100	14-18D-27K-OD	18	Household Lamp, 10W, Day White (5000K), 120V, 270°, Dimmable, A19, Omni-Directional
A-LAMP	100	1400-16-27K	16	Household Lamp, 16W, Warm White (2700K), 120V, 230°, Dimmable, A21
A-LAMP	100	1400-15-27K	15	Household Lamp, 15W, Warm White (2700K), 120V, 230°, Dimmable, A21
A-LAMP - Omni-Directional	60	14-10D-30K-OD	10	Household Lamp, 10W, Day White (3000K), 120V, 270°, Dimmable, A19, Omni-Directional
A-LAMP	60	1400-10-30K	10	Household Lamp, 10W, Day White (3000K), 120V, 230°, Dimmable, A19
A-LAMP	40	1400-7-27K	7	Household Lamp, 7W, Day White (2700K), 120V, 230°, Dimmable, A19

# TITAN LED

## LIGHTING SOLUTIONS

Fluorescent	Wattage	Titan LED Replacement	Titan Wattage	Titan LED Item Description
Recessed Downlight	85	18-RD-6-27K	6" Can 14W	Recessed Downlight, 5" / 6", 14W, Warm White (2700K), 120V, 120°, Dimmable
Recessed Downlight	65	18-RD-4-30K	4" Can 10W	Recessed Downlight, 4", 10W, Warm White (3000K), 120V, 120°, Dimmable
Recessed Downlight	50	18-RD-4-27K	4" Can 10W	Recessed Downlight, 4", 10W, Warm White (3000K), 120V, 120°, Dimmable

# TITAN LED

## LIGHTING SOLUTIONS

Halogen	Wattage	Titan LED Replacement	Titan Wattage	Titan LED Item Description
MR16s	50	1500-7-27K-20	7	MR16, 7W, Warm White (2700K), 12V, 20°, Dimmable
MR16s	35	1500-7-30K-40	7	MR16, 7W, Warm White (3000K), 12V, 40°, Dimmable
GU10	50	1510-7-27K-20	7	GU10, 7W, Warm White (2700K), 120V, 20°, Dimmable
GU10	35	1510-7-30K-40	7	GU10, 7W, Warm White (3000K), 120V, 40°, Dimmable

# TITAN LED

## LIGHTING SOLUTIONS

Incandescent	Wattage	Titan LED Replacement	Titan Wattage	Titan LED Item Description
Base Flame E12	40	10C-5-E12-27K-F	5	Candelabra, E12, 5W, (2700K), Clear Lens, 120V, Flame Tip, Dimmable
Base Flame E27	40	10C-5-E27-27K-F	5	Candelabra, E27, 5W, (2700K), Clear Lens, 120V, Flame Tip, Dimmable
Blunt Tip E12	25	10C-5-E12-27K-T	5	Candelabra, E12, 5W, (2700K), Clear Lens, 120V, Torpedo Tip, Dimmable
Blunt Tip E27	25	10C-5-E27-27K-T	5	Candelabra, E27, 5W, (2700K), Clear Lens, 120V, Torpedo Tip, Dimmable



# TITAN LED

## LIGHTING SOLUTIONS

Fluorescent	Wattage	Titan LED Replacement	Titan Wattage	Titan LED Item Description
2ft LINEAR TUBES	17-20	17C-2-12-50K	12	Hennessy Tube Light, 2 Foot, 12W, Luxeon LED's, 5000K, Polycarbonate CLEAR LENS, 100-277V, SMD, BI-PIN, SINGLE END POWER, DIMMABLE (EXTERNAL DRIVER REQUIRED)
2ft LINEAR TUBES	17-20	17C-2-12-40K	12	Hennessy Tube Light, 2 Foot, 12W, Luxeon LED's, 4000K, Polycarbonate CLEAR LENS, 100-277V, SMD, BI-PIN, SINGLE END POWER, DIMMABLE (EXTERNAL DRIVER REQUIRED)
2ft LINEAR TUBES	17-20	17D-2-12-50K	12	Hennessy Tube Light, 2 Foot, 12W, Luxeon LED's, 5000K, Polycarbonate DIFFUSED LENS, 100-277V, SMD, BI-PIN, SINGLE END POWER, DIMMABLE (EXTERNAL DRIVER REQUIRED)
2ft LINEAR TUBES	17-20	17D-2-12-40K	12	Hennessy Tube Light, 2 Foot, 12W, Luxeon LED's, 4000K, Polycarbonate DIFFUSED LENS, 100-277V, SMD, BI-PIN, SINGLE END POWER, DIMMABLE (EXTERNAL DRIVER REQUIRED)

# TITAN LED

## LIGHTING SOLUTIONS

Fluorescent	Traditional Wattage	Titan LED Replacement	Titan Wattage	Titan LED Item Description
4ft LINEAR TUBES	28-40	17C-4-17-50K	17	Hennessy Tube Light, 4 Foot, 17W, Luxeon LED's, 5000K, Polycarbonate CLEAR LENS, 100-277V, SMD, BI-PIN, SINGLE END POWER, DIMMABLE (EXTERNAL DRIVER REQUIRED)
4ft LINEAR TUBES	28-40	17C-4-17-40K	17	Hennessy Tube Light, 4 Foot, 17W, Luxeon LED's, 4000K, Polycarbonate CLEAR LENS, 100-277V, SMD, BI-PIN, SINGLE END POWER, DIMMABLE (EXTERNAL DRIVER REQUIRED)
4ft LINEAR TUBES	28-40	17D-4-17-50K	17	Hennessy Tube Light, 4 Foot, 17W, Luxeon LED's, 5000K, Polycarbonate DIFFUSED LENS, 100-277V, SMD, BI-PIN, SINGLE END POWER, DIMMABLE (EXTERNAL DRIVER REQUIRED)
4ft LINEAR TUBES	28-40	17D-4-17-40K	17	Hennessy Tube Light, 4 Foot, 17W, Luxeon LED's, 4000K, Polycarbonate DIFFUSED LENS, 100-277V, SMD, BI-PIN, SINGLE END POWER, DIMMABLE (EXTERNAL DRIVER REQUIRED)

# TITAN LED

## LIGHTING SOLUTIONS

Fluorescent	Traditional Wattage	Titan LED Replacement	Titan Wattage	Titan LED Item Description
8ft LINEAR TUBES	60-120	17C-8-32-SP-57K-DR	38	Hennessy Tube Light, 8 Foot, 32W, Luxeon LED's, 5700K, Polycarbonate CLEAR LENS, 100-277V, SMD, SINGLE PIN,
8ft LINEAR TUBES	60-120	17C-8-32-BP-57K-DR	38	Hennessy Tube Light, 8 Foot, 32W, Luxeon LED's, 5700K, Polycarbonate CLEAR LENS, 100-277V, SMD, BI-PIN,
8ft LINEAR TUBES	60-120	17C-8-32-SP-40K-DR	38	Hennessy Tube Light, 8 Foot, 32W, Luxeon LED's, 4000K, Polycarbonate CLEAR LENS, 100-277V, SMD, SINGLE PIN,
8ft LINEAR TUBES	60-120	17C-8-32-BP-40K-DR	38	Hennessy Tube Light, 8 Foot, 32W, Luxeon LED's, 4000K, Polycarbonate CLEAR LENS, 100-277V, SMD, BI-PIN,
8ft LINEAR TUBES	60-120	17D-8-32-SP-57K-DR	38	Hennessy Tube Light, 8 Foot, 32W, Luxeon LED's, 5700K, Polycarbonate DIFFUSED LENS, 100-277V, SMD, SINGLE
8ft LINEAR TUBES	60-120	17D-8-32-BP-57K-DR	38	Hennessy Tube Light, 8 Foot, 32W, Luxeon LED's, 5700K, Polycarbonate DIFFUSED LENS, 100-277V, SMD, BI-PIN,
8ft LINEAR TUBES	60-120	17D-8-32-SP-40K-DR	38	Hennessy Tube Light, 8 Foot, 32W, Luxeon LED's, 4000K, Polycarbonate DIFFUSED LENS, 100-277V, SMD, SINGLE
8ft LINEAR TUBES	60-120	17D-8-32-BP-10K-DR	38	Hennessy Tube Light, 8 Foot, 32W, Luxeon LED's, 4000K, Polycarbonate DIFFUSED LENS, 100-277V, SMD, BI-PIN,